



RAUSIKKO

RAUSIKKO BOX

RAUSIKKO Box

RAUSIKKO Box

1

120 bar

2

3

95 %

4

DN 110 / 160 / 200 / 250
/

5

6

RAUSIKKO Box 8.3

7

RAUSIKKO Box 8.6

SLW 60
80

4,0



RAUSIKKO Box 8.6 SC



RAUSIKKO Box 8.3 SC

RAUSIKKO BOX

RAUSIKKO Box

RAUSIKKO Box


Box

RAUSIKKO

RAUSIKKO Box
93 %.



RAUSIKKO Box 8.6 C



RAUSIKKO Box:

	RAUSIKKO Box				RAUSIKKO Box	
	8.6 S	8.6 SC	8.3S	8.3 SC	8.6 H	8.6 HC
						
()	800			800		800
()	660			360		660
()	800			800		800
()	422			230		422
()	400			212		391

RAUSIKKO C3

RAUSIKKO Box

RAUSIKKO 3, :
3

Connect:

DN 250 500
RAUSIKKO Box

Control:

RAUSIKKO Box

Clean:

RAUSIKKO Box



RAUSIKKO 3
Connect, Control, Clean



()

:
-
-
-
-
,
,
,
,
/
/

RAUSIKKO HYDROCLEAN

RAUSIKKO HydroClean

:

138.

DWA

(BBodSchV),

RAUSIKKO HydroClean

3-

- 1.
- 2.
- 3.

LGATÜV Rheinland

DIBt




- 1
- 2
- 3
- 4
- 5
- 6

RAUSIKKO HydroClean ()

RAUSIKKO DN 1000

Rheinland LGATÜV

REHAU



REHAU

:

- RainSpot
- AWADUCT PP RAUVIA
- AWADOCK
- RAUSIKKO/AWASCHACHT
- RAUSIKKO HydroClean
- RAUSIKKO Box:

REHAU